Surname	Other	names		
earson Edexcel evel 1/Level 2 GCSE (9 - 1)	Centre Number	Candidate Number		
Mathematics Paper 3 (Calculator)				
	tics			
Mathemat Paper 3 (Calculator)	tics	Higher Tier		

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You must **show all your working**.
- Diagrams are **NOT** accurately drawn, unless otherwise indicated.
- Calculators may be used.
- If your calculator does not have a π button, take the value of π to be 3.142 unless the question instructs otherwise.

Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



S57496A©2017 Pearson Education Ltd.
6/7/2/2/4/



Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 (a) Write 168 as a product of its prime factors. You must show your working.

$$168 = 2^{3} \times 3 \times 7$$
(3)


(b) Find the highest common factor (HCF) of 168 and 180

$$HCF = 2 \times 2 \times 3 = 12$$

12

(Total for Question 1 is 5 marks)

2 Eric and Geraldine both drove from town A to town B.



Both Eric and Geraldine left town A at $2 \, \text{pm}$.

Eric drove on route 1 He got to town *B* at 2 48 pm.

Geraldine drove on route 2 She got to town *B* at 3 25 pm.

Who drove at the greater average speed? You must show all your working.

Avge
$$S_{\text{reel}} = 36.4 \div \frac{48}{60}$$

= $36.4 \times \frac{60}{48} = 45.5 \text{ mph}$

Gereldina 65.2 miles in
$$\frac{85}{60}$$
 hrs

Auge Speed = 65.2 $\frac{1}{60}$ $\frac{85}{60}$ = 46.0 mph


46.0 > 45.5

so Geraldine had the greater average speed

(Total for Question 2 is 3 marks)



3 Here is an accurate scale drawing of a school playground.



1 cm represents 2 m

Nasim is going to put a seat in the playground.

The seat has to be

less than 9 m from C closer to BC than to AB more than 4 m from AB

arc on G radius 4.5 cm Angle bisector of CABC line parallel to AB 2cm from it

Show, by shading on the diagram, the region where Nasim can put the seat.

(Total for Question 3 is 4 marks)

4 There are only red counters, blue counters and green counters in a bag.

number of red counters: number of blue counters: number of green counters = 1:3:7

A counter is going to be taken at random from the bag.

(a) Complete the table below to show each of the probabilities that the counter will be red or blue or green.

Colour	red	blue	green
Probability	111	3/11	7,1

(2)

Jamie takes at random a counter from the bag and records the colour of the counter. He then puts the counter back in the bag.

Jamie does this a number of times.

He records a total of 68 blue counters.

(b) Work out an estimate for the total number of times Jamie takes a counter from the bag.

$$68 \approx \frac{3}{11}$$
 of total
$$68 \times \frac{11}{3} \approx \text{total}$$

$$249.3 \approx \text{total}$$

Estimate

249

(2)

(Total for Question 4 is 4 marks)

5 Maryam is trying to expand and simplify $(n-2)^2$ Here is her working.

$$(n-2)^2 = (n-2)(n-2)$$

= $n^2 - 2n - 2n - 4$ \times
= $n^2 - 4n - 4$

Maryam's answer is wrong.

(a) Find Maryam's mistake.

$$= n^{2} - 2n - 2n + 4$$

$$= n^{2} - 4n + 4$$

(1)

Josh is trying to factorise $x^2 - 6x + 8$ His reasoning is,

because
$$4 \times 2 = 8$$

and $4 + 2 = 6$


then
$$x^2 - 6x + 8 = (x + 4)(x + 2)$$

(b) Explain what is wrong with Josh's reasoning.

$$x^2 - 6x + 8 = (x - 4)(x - 2)$$

(1)

Shona has to draw the line with equation y = 3x + 2Here is her line.




(c) Explain why Shona's line cannot be correct.

y-intercept should be +2 but it is clearly negative on this graph

(Total for Question 5 is 3 marks)

6 The diagram shows a quadrilateral *JKLM*.



Work out the size of angle *KLM*. Give your answer correct to 3 significant figures.

By Pythagoros

$$x^{2} = 4.5^{2} + 7^{2}$$
 $x^{2} = 69.25$
 $x = \sqrt{69.25}$
 $x = 8.322 cm$

$$\frac{\sin \theta}{15} = \frac{2}{15}$$

$$\theta = \frac{8.322}{15}$$

$$\theta = 33.7^{\circ}$$

(Total for Question 6 is 4 marks)

7 Liquid A has a density of 1.42 g/cm³

7 cm³ of liquid **A** is mixed with 125 cm³ of liquid **B** to make liquid **C**.

Liquid C has a density of 1.05 g/cm³

Find the density of liquid **B**.

Give your answer correct to 2 decimal places.

A B C

Jensity 1.42g/cn³ ? 1.05g/cn³

Mass 9.94g 128.66g 138.6g

Volume 7 cn³ 125cn³
$$\rightarrow$$
 132 cm³

Mass A Mass B Mass C
$$= 1.42 \times 7 \qquad = 138.6 - 9.94 \qquad = 132 \times 1.05$$

$$= 9.949 \qquad = 128.669 \qquad = 138.69$$
Density of B = $\frac{Mass}{Volume} = \frac{128.66}{125} = 1.03$

$$= 1.03 \quad \text{g/cm}^3$$

(Total for Question 7 is 3 marks)

8 Kiera used her calculator to work out the value of a number *x*. She wrote down the first two digits of the answer on her calculator.

She wrote down 7.3

Write down the error interval for x.

$$7.3 \le x < 7.4$$

(Total for Question 8 is 2 marks)

9 Francesco carried out a survey about the ages of the people in his office.


The table shows information about his results.

Age (a years)	Cumulative frequency
$20 < a \leqslant 30$	10
$20 < a \leqslant 40$	26
$20 < a \leqslant 50$	58
$20 < a \leqslant 60$	66
$20 < a \leqslant 70$	70

(a) On the grid opposite, draw a cumulative frequency graph for this information.

(2)





(b) Use your graph to find an estimate for the median age.

4 2 years

Francesco says,

"More than 60% of the people in the office are between 35 and 55 years old."

(c) Use your graph to determine if Francesco is correct.

63-17 = 46 people between 35 and 55 years old
$$\frac{46}{70} = 65.7\%$$
 So Francesco is correct

(3)

(Total for Question 9 is 6 marks)



10 In a sale, the price of a TV is reduced by 25%

A week later, the sale price of the TV is reduced by 15% The price of the TV is now £293.25

What was the price of the TV before the sale?

Original Price
$$\times$$
 0.75 \times 0.85 = ± 293.25
Original Price = $\pm 293.25 \div 0.75 \div 0.85 = \pm 466$

f 460

(Total for Question 10 is 3 marks)

11 Expand and simplify (x+2)(x+8)(x-4)

$$= (x^{2}+2x+8x+16)(x-4)$$

$$= (x^{2}+10x+16)(x-4)$$

$$= x^{3}+10x^{2}+16x$$


$$= 4x^{2}-40x-64$$

$$= x^{3}+6x^{2}-24x-64$$

(Total for Question 11 is 3 marks)




12 The diagram shows a metal rod, AB, resting inside a cylindrical tin.



The tin is on a horizontal table. *AC* is a diameter of the base of the tin. *B* is on the top edge of the tin. *BC* is vertical.

The radius of the base of the tin is 5 cm. The volume of the tin is 1178 cm³

Find the angle between the rod and the base of the tin. Give your answer correct to the nearest degree.



$$V = \pi c h$$

$$\frac{V}{\pi c^2} = h$$

$$\frac{1178}{(\pi \times 5^2)} = h$$
15.0 cm = h

$$6 = \frac{15.0}{10}$$

$$6 = \frac{15.0}{10} = 56.3^{\circ}$$

$$= 56^{\circ} \text{ to nearest degree}$$

56 .

(Total for Question 12 is 4 marks)

13 For any three consecutive whole numbers, prove algebraically that

the largest number and the smallest number are factors of the number that is one less than the square of the middle number.

Let numbers be
$$n, n+1, n+2$$

middle squared = $(n+1)(n+1)$

= $n^2 + n + n + 1$

= $n^2 + 2n + 1$

One less than this = $n^2 + 2n$

= $n(n+2)$

so both n and $n+2$ are factors

(Total for Question 13 is 3 marks)

14 Prove algebraically that the recurring decimal $0.4\dot{5}\dot{7}$ can be written as $\frac{151}{330}$

Let
$$x = 0.457$$
 $30 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.4575757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 $10 = 0.45757...$
 10


(Total for Question 14 is 3 marks)

15 On the grid show, by shading, the region defined by the inequalities

$$x < 4 \qquad 2x + y > 6$$

$$y > \frac{1}{3}x$$

Label the region R.



(Total for Question 15 is 3 marks)

16 There is a large number of cubes in a bag.

Jason wants to work out an estimate for the number of cubes in the bag.

He takes at random 10 cubes from the bag.

He puts a mark on each cube and then puts each cube back in the bag.

Jason shakes the bag and then takes at random 20 of the cubes.

There is a mark on 3 of the cubes.

Work out an estimate for the total number of cubes in the bag.

$$\frac{20}{3}$$
 × 10 = $\frac{200}{3}$ = 66.7

Estimate 67

67

(Total for Question 16 is 3 marks)

17 At the start of year n, the quantity of a radioactive metal is P_n At the start of the following year, the quantity of the same metal is given by

$$P_{n+1} = 0.87P_n$$

At the start of 2016 there were 30 grams of the metal.

What will be the quantity of the metal at the start of 2019? Give your answer to the nearest gram.


$$P_{2017} = P_{2016} \times 0.87$$
 $P_{2018} = P_{2016} \times 0.87^2$
 $P_{2019} = P_{2016} \times 0.87^3$
 $= 30 \times 0.87^3$
 $= 19.75509$
 $= 209$

to nearest 9

20 grams

(Total for Question 17 is 3 marks)

18 Here is a sketch of the curve $y = \sin(x + a)^{\circ} + b$



Given that 0 < a < 360 find the value of a and the value of b.

(Total for Question 18 is 2 marks)

RC = BA + AC= - 3a + 25 8D = 3 BC

The diagram shows triangle ABC.

$$\overrightarrow{AB} = 3\mathbf{a}$$

$$\overrightarrow{AC} = 2\mathbf{b}$$

$$\overrightarrow{BE} = 3\overrightarrow{AC}$$

D is the point on BC such that BD:DC = 3:1

Prove that *ADE* is a straight line.

$$\overrightarrow{AE} = \overrightarrow{AB} + \overrightarrow{BE}$$

$$= 3a + 6b$$

$$= 4\left(\frac{3}{4}a + \frac{6}{4}b\right) = 4\overrightarrow{AB}$$

$$\overrightarrow{AE} \text{ is parallel to } \overrightarrow{AD}$$
Since both pass through A, \overrightarrow{AE} is an extension of \overrightarrow{AB} in ADE is a straight line

65

(Total for Question 19 is 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

20 There are 9 counters in a bag.

There is an even number on 3 of the counters.


There is an odd number on 6 of the counters.

Three counters are going to be taken at random from the bag.

The numbers on the counters will be added together to give the total.

Find the probability that the total is an odd number.





$$P(0dd \ b \ b \ al) = \frac{120 + 36 + 36 + 36}{504} = \frac{228}{504}$$

$$= \frac{19}{42}$$

(Total for Question 20 is 5 marks)

21
$$f(x) = x^3$$
 $g(x) = 4x - 1$

$$fg(x)$$


$$= f(4x-1)$$

$$= (4x-1)^{3}$$

$$f_{5}(z)$$
= $(4(z)-1)^{3}$
= 7^{3}

$$h(x) = fg(x)$$


(b) Find an expression for $h^{-1}(x)$



 $h^{-1}(x) = \dots$ (3)

(Total for Question 21 is 5 marks)

22 The diagram shows the circle with equation $x^2 + y^2 = 261$



A tangent to the circle is drawn at point A with coordinates (p, -15), where p > 0

: A(6,-15) Find an equation of the tangent at A.

gradient
$$0A = \frac{92-91}{22-21} = \frac{-15-0}{6-0} = \frac{-15}{5} = -\frac{5}{2}$$

gradient of tangent = + 2

Eqn of tangent
$$y-y_i = m(x-x_i)$$

$$y - -15 = \frac{3}{5}(2c - 6)$$

$$y + 15 = \frac{2}{5}x - \frac{12}{5}$$

$$y = \frac{2}{5}x - \frac{12}{5} - 15$$

$$5 = \frac{2}{5}x - \frac{12}{5} - \frac{45}{5}$$

$$y = \frac{2}{5}x - \frac{57}{5}$$

(Total for Question 22 is 5 marks)

TOTAL FOR PAPER IS 80 MARKS



BLANK PAGE

BLANK PAGE



BLANK PAGE

